

DVR 250T



- Tower Chassis
- Up to 32 Channels Video/Audio
- Up to 960 FPS
- Up to 32 Sensor Inputs
- Up to 8 Relay Outputs
- 1 TV Out
- Supports Numerous PTZ Cameras
- POS Support
- Automated Backup
- Up to 3 Terabytes of Raw Storage
- DVDRW
- Optional JBOD expandability & IP-SAN Ready
- Control Multiple IZON DVR'S Remotely
- Motion Detection, Regions of Interest
- Privacy Masking
- Event Alerts

Model	Cameras	Boot Drive	Raw Storage	OS	Optical Drive	Video Channels	Audio Channels	FPS
DVR250T-4-120-500	4	250 GB	500 GB	XP PRO	DVDRW	4	4	120
DVR250T-4-120-1000	4	250 GB	1 TB	XP PRO	DVDRW	4	4	120
DVR250T-4-120-2250	4	250 GB	2.25 TB	XP PRO	DVDRW	4	4	120
DVR250T-4-120-3000	4	250 GB	3 TB	XP PRO	DVDRW	4	4	120
DVR250T-8-240-500	8	250 GB	500 GB	XP PRO	DVDRW	8	8	240
DVR250T-8-240-1000	8	250 GB	1 TB	XP PRO	DVDRW	8	8	240
DVR250T-8-240-2250	8	250 GB	2.25 TB	XP PRO	DVDRW	8	8	240
DVR250T-8-240-3000	8	250 GB	3 TB	XP PRO	DVDRW	8	8	240
DVR250T-16-480-500	16	250 GB	500 GB	XP PRO	DVDRW	16	16	480
DVR250T-16-480-1000	16	250 GB	1 TB	XP PRO	DVDRW	16	16	480
DVR250T-16-480-2250	16	250 GB	2.25 TB	XP PRO	DVDRW	16	16	480
DVR250T-16-480-3000	16	250 GB	3 TB	XP PRO	DVDRW	16	16	480
DVR250T-32-960-500	32	250 GB	500 GB	XP PRO	DVDRW	32	32	960
DVR250T-32-960-1000	32	250 GB	1 TB	XP PRO	DVDRW	32	32	960
DVR250T-32-960-2250	32	250 GB	2.25 TB	XP PRO	DVDRW	32	32	960
DVR250T-32-960-3000	32	250 GB	3 TB	XP PRO	DVDRW	32	32	960

DVR RM400



- 4U Rackmount Chassis
- Up to 32 Channels Video/Audio
- Up to 960 FPS
- Up to 32 Sensor Inputs
- Up to 8 Relay Outputs
- 1 TV Out
- Supports Numerous PTZ Cameras
- POS Support
- Automated Backup
- Up to 3 Terabytes of Raw Storage
- DVDRW
- Optional JBOD expandibility & IP-SAN Ready
- Control Multiple IZON DVR'S Remotely
- Motion Detection, Regions of Interest
- Privacy Masking
- Event Alerts

Model	Cameras	Boot Drive	Raw Storage	OS	Optical Drive	Video Channels	Audio Channels	FPS
DVRRM400-4-120-500	4	250 GB	500 GB	XP PRO	DVDRW	4	4	120
DVRRM400-4-120-1000	4	250 GB	1 TB	XP PRO	DVDRW	4	4	120
DVRRM400-4-120-2250	4	250 GB	2.25 TB	XP PRO	DVDRW	4	4	120
DVRRM400-4-120-3000	4	250 GB	3 TB	XP PRO	DVDRW	4	4	120
DVRRM400-8-240-500	8	250 GB	500 GB	XP PRO	DVDRW	8	8	240
DVRRM400-8-240-1000	8	250 GB	1 TB	XP PRO	DVDRW	8	8	240
DVRRM400-8-240-2250	8	250 GB	2.25 TB	XP PRO	DVDRW	8	8	240
DVRRM400-8-240-3000	8	250 GB	3 TB	XP PRO	DVDRW	8	8	240
DVRRM400-16-480-500	16	250 GB	500 GB	XP PRO	DVDRW	16	16	480
DVRRM400-16-480-1000	16	250 GB	1 TB	XP PRO	DVDRW	16	16	480
DVRRM400-16-480-2250	16	250 GB	2.25 TB	XP PRO	DVDRW	16	16	480
DVRRM400-16-480-3000	16	250 GB	3 TB	XP PRO	DVDRW	16	16	480
DVRRM400-32-960-500	32	250 GB	500 GB	XP PRO	DVDRW	32	32	960
DVRRM400-32-960-1000	32	250 GB	1 TB	XP PRO	DVDRW	32	32	960
DVRRM400-32-960-2250	32	250 GB	2.25 TB	XP PRO	DVDRW	32	32	960
DVRRM400-32-960-3000	32	250 GB	3 TB	XP PRO	DVDRW	32	32	960

DVR RM450



- 4U Rackmount/Tower Chassis
- 8 Hot Swap Drive Bays
- Up to 32 Channels Video/Audio
- Up to 960 FPS
- Up to 32 Sensor Inputs
- Up to 8 Relay Outputs
- 1 TV Out
- Supports Numerous PTZ Cameras
- POS Support
- Automated Backup
- Up to 8 Terabytes of Raw Storage
- DVDRW
- Optional JBOD expandability & IP-SAN Ready
- Control Multiple IZON DVR'S Remotely
- Motion Detection, Regions of Interest
- Privacy Masking
- Event Alerts

Model	Cameras	Boot Drive	Raw Storage	OS	Optical Drive	Video Channels	Audio Channels	FPS
DVRRM450-4-120-2000	4	250 GB	2 TB	XP PRO	DVDRW	4	4	120
DVRRM450-4-120-4000	4	250 GB	4 TB	XP PRO	DVDRW	4	4	120
DVRRM450-4-120-6000	4	250 GB	6 TB	XP PRO	DVDRW	4	4	120
DVRRM450-4-120-8000	4	250 GB	8 TB	XP PRO	DVDRW	4	4	120
DVRRM450-8-240-2000	8	250 GB	2 TB	XP PRO	DVDRW	8	8	240
DVRRM450-8-240-4000	8	250 GB	4 TB	XP PRO	DVDRW	8	8	240
DVRRM450-8-240-6000	8	250 GB	6 TB	XP PRO	DVDRW	8	8	240
DVRRM450-8-240-8000	8	250 GB	8 TB	XP PRO	DVDRW	8	8	240
DVRRM450-16-480-2000	16	250 GB	2 TB	XP PRO	DVDRW	16	16	480
DVRRM450-16-480-4000	16	250 GB	4 TB	XP PRO	DVDRW	16	16	480
DVRRM450-16-480-6000	16	250 GB	6 TB	XP PRO	DVDRW	16	16	480
DVRRM450-16-480-8000	16	250 GB	8 TB	XP PRO	DVDRW	16	16	480
DVRRM450-32-960-2000	32	250 GB	2 TB	XP PRO	DVDRW	32	32	960
DVRRM450-32-960-4000	32	250 GB	4 TB	XP PRO	DVDRW	32	32	960
DVRRM450-32-960-6000	32	250 GB	6 TB	XP PRO	DVDRW	32	32	960
DVRRM450-32-960-8000	32	250 GB	8 TB	XP PRO	DVDRW	32	32	960

DVR RM3000



- 3U Rackmount Chassis w/ Redundant PS
- 16 Hot Swap Drive Bays
- Up to 32 Channels Video/Audio
- Up to 960 FPS
- Up to 32 Sensor Inputs
- Up to 8 Relay Outputs
- 1 TV Out
- Supports Numerous PTZ Cameras
- POS Support
- Automated Backup
- Up to 16 Terabytes of Raw Storage
- Multiple Raid Options
- DVDRW
- Optional JBOD expandability & IP-SAN Ready
- Control Multiple IZON DVR'S Remotely
- Motion Detection, Regions of Interest
- Privacy Masking
- Event Alerts

Model	Cameras	Boot Drive	Raw Storage	OS	Optical Drive	Video Channels	Audio Channels	FPS
DVRRM3000-4-120-4000	4	60 GB	4 TB	XP PRO	DVDRW	4	4	120
DVRRM3000-4-120-8000	4	60 GB	8 TB	XP PRO	DVDRW	4	4	120
DVRRM3000-4-120-12000	4	60 GB	12 TB	XP PRO	DVDRW	4	4	120
DVRRM3000-4-120-16000	4	60 GB	16 TB	XP PRO	DVDRW	4	4	120
DVRRM3000-8-240-4000	8	60 GB	4 TB	XP PRO	DVDRW	8	8	240
DVRRM3000-8-240-8000	8	60 GB	8 TB	XP PRO	DVDRW	8	8	240
DVRRM3000-8-240-12000	8	60 GB	12 TB	XP PRO	DVDRW	8	8	240
DVRRM3000-8-240-16000	8	60 GB	16 TB	XP PRO	DVDRW	8	8	240
DVRRM3000-16-480-4000	16	60 GB	4 TB	XP PRO	DVDRW	16	16	480
DVRRM3000-16-480-8000	16	60 GB	8 TB	XP PRO	DVDRW	16	16	480
DVRRM3000-16-480-12000	16	60 GB	12 TB	XP PRO	DVDRW	16	16	480
DVRRM3000-16-480-16000	16	60 GB	16 TB	XP PRO	DVDRW	16	16	480
DVRRM3000-32-960-4000	32	60 GB	4 TB	XP PRO	DVDRW	32	32	960
DVRRM3000-32-960-8000	32	60 GB	8 TB	XP PRO	DVDRW	32	32	960
DVRRM3000-32-960-12000	32	60 GB	12 TB	XP PRO	DVDRW	32	32	960
DVRRM3000-32-960-16000	32	60 GB	16 TB	XP PRO	DVDRW	32	32	960

IZON TECHNOLOGIES

NVR 250T



- Tower Chassis
- EX, LE & PRO
- Up to 16 Cameras
- Up to 5 Remote Connections
- Supports over 230 IP Cameras
- Up to 3 Terabytes of Raw Storage
- DVDRW
- Optional JBOD expandability & IP-SAN Ready
- Control Multiple IZON NVR'S Remotely
- Motion Detection, Regions of Interest

Model	Cameras	Remote Connections	Boot Drive	Raw Storage	OS	Optical Drive
NVR250T-500-EX	4	1	250 GB	500 GB	XP PRO	DVDRW
NVR250T-500-LE	9	3	250 GB	500 GB	XP PRO	DVDRW
NVR250T-500-PRO	16	5	250 GB	500 GB	XP PRO	DVDRW
NVR250T-1000-EX	4	1	250 GB	1 TB	XP PRO	DVDRW
NVR250T-1000-LE	9	3	250 GB	1 TB	XP PRO	DVDRW
NVR250T-1000-PRO	16	5	250 GB	1 TB	XP PRO	DVDRW
NVR250T-2250-EX	4	1	250 GB	2.25 TB	XP PRO	DVDRW
NVR250T-2250-LE	9	3	250 GB	2.25 TB	XP PRO	DVDRW
NVR250T-2250-PRO	16	5	250 GB	2.25 TB	XP PRO	DVDRW
NVR250T-3000-EX	4	1	250 GB	3 TB	XP PRO	DVDRW
NVR250T-3000-LE	9	3	250 GB	3 TB	XP PRO	DVDRW
NVR250T-3000-PRO	16	5	250 GB	3 TB	XP PRO	DVDRW

IZON TECHNOLOGIES

NVR RM200



- 2U Rackmount Chassis
- EX, LE & PRO
- Up to 16 Cameras
- Up to 5 Remote Connections
- Supports over 230 IP Cameras
- Up to 3 Terabytes of Raw Storage
- DVDRW
- Optional JBOD expandability & IP-SAN Ready
- Control Multiple IZON NVR'S Remotely
- Motion Detection, Regions of Interest

Model	Cameras	Remote Connections	Boot Drive	Raw Storage	OS	Optical Drive
NVRRM200-500-EX	4	1	250 GB	500 GB	XP PRO	DVDRW
NVRRM200-500-LE	9	3	250 GB	500 GB	XP PRO	DVDRW
NVRRM200-500-PRO	16	5	250 GB	500 GB	XP PRO	DVDRW
NVRRM200-1000-EX	4	1	250 GB	1 TB	XP PRO	DVDRW
NVRRM200-1000-LE	9	3	250 GB	1 TB	XP PRO	DVDRW
NVRRM200-1000-PRO	16	5	250 GB	1 TB	XP PRO	DVDRW
NVRRM200-2250-EX	4	1	250 GB	2.25 TB	XP PRO	DVDRW
NVRRM200-2250-LE	9	3	250 GB	2.25 TB	XP PRO	DVDRW
NVRRM200-2250-PRO	16	5	250 GB	2.25 TB	XP PRO	DVDRW
NVRRM200-3000-EX	4	1	250 GB	3 TB	XP PRO	DVDRW
NVRRM200-3000-LE	9	3	250 GB	3 TB	XP PRO	DVDRW
NVRRM200-3000-PRO	16	5	250 GB	3 TB	XP PRO	DVDRW

IZON TECHNOLOGIES

NVR 250TR



- Tower Chassis
- 4 Hot Swap Drive Bays
- EX, LE & PRO
- Up to 16 Cameras
- Up to 5 Remote Connections
- Supports over 230 IP Cameras
- Up to 4 Terabytes of Raw Storage
- Multiple Raid Options
- DVDRW
- JBOD & IP-SAN Ready
- Control Multiple IZON NVR'S Remotely
- Motion Detection, Regions of Interest

Model	Cameras	Remote Connections	Boot Drive	Raw Storage	OS	Optical Drive
NVR250TR-1000-EX	4	1	250 GB	1 TB	XP PRO	DVDRW
NVR250TR-1000-LE	9	3	250 GB	1 TB	XP PRO	DVDRW
NVR250TR-1000-PRO	16	5	250 GB	1 TB	XP PRO	DVDRW
NVR250TR-2000-EX	4	1	250 GB	2 TB	XP PRO	DVDRW
NVR250TR-2000-LE	9	3	250 GB	2 TB	XP PRO	DVDRW
NVR250TR-2000-PRO	16	5	250 GB	2 TB	XP PRO	DVDRW
NVR250TR-3000-EX	4	1	250 GB	3 TB	2003 SERVER STD 5U R2	DVDRW
NVR250TR-3000-LE	9	3	250 GB	3 TB	2003 SERVER STD 5U R2	DVDRW
NVR250TR-3000-PRO	16	5	250 GB	3 TB	2003 SERVER STD 5U R2	DVDRW
NVR250TR-4000-EX	4	1	250 GB	4 TB	2003 SERVER STD 5U R2	DVDRW
NVR250TR-4000-LE	9	3	250 GB	4 TB	2003 SERVER STD 5U R2	DVDRW
NVR250TR-4000-PRO	16	5	250 GB	4 TB	2003 SERVER STD 5U R2	DVDRW



NVR EMS220



- 2U Rackmount Chassis
- Redundant PS
- PRO & ENT
- Up to Unlimited* Cameras
- Up to Unlimited* Remote Connections
- Supports over 230 IP Cameras
- Multiple Raid Options
- DVDRW
- JBOD & IP-SAN Ready
- Control Multiple IZON NVR'S Remotely
- Motion Detection, Regions of Interest

Model	Cameras	Remote Connections	Boot Drive	Raw Storage	OS	Optical Drive
NVREMS220-500-PRO	16	5	250 GB	500 GB	2003 SERVER STD 5U R2	DVDRW
NVREMS220-500-ENT	UNLIMITED*	UNLIMITED*	250 GB	500 GB	2003 SERVER STD 5U R2	DVDRW

* Unlimited means to limits in the IZON Enterprise NVR Software itself. Hardware limitations may apply.

IZON TECHNOLOGIES

NVR RM2000



- 2U Rackmount Chassis
- 8 Hot Swap Drive Bays
- Redundant PS
- LE, PRO & ENT
- Up to Unlimited* Cameras
- Up to Unlimited* Remote Connections
- Supports over 230 IP Cameras
- Multiple Raid Options
- DVDRW
- Optional JBOD expandability & IP-SAN Ready
- Control Multiple IZON NVR'S Remotely
- Motion Detection, Regions of Interest

Model	Cameras	Remote Connections	Boot Drive	Raw Storage	OS	Optical Drive
NVRRM2000-2000-LE	9	3	60 GB	2 TB	XP PRO	DVDRW
NVRRM2000-2000-PRO	16	5	60 GB	2 TB	XP PRO	DVDRW
NVRRM2000-2000-ENT	UNLIMITED*	UNLIMITED*	60 GB	2 TB	XP PRO	DVDRW
NVRRM2000-4000-LE	9	3	60 GB	4 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM2000-4000-PRO	16	5	60 GB	4 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM2000-4000-ENT	UNLIMITED*	UNLIMITED*	60 GB	4 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM2000-6000-LE	9	3	60 GB	6 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM2000-6000-PRO	16	5	60 GB	6 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM2000-6000-ENT	UNLIMITED*	UNLIMITED*	60 GB	6 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM2000-8000-LE	9	3	60 GB	8 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM2000-8000-PRO	16	5	60 GB	8 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM2000-8000-ENT	UNLIMITED*	UNLIMITED*	60 GB	8 TB	2003 SERVER STD 5U R2	DVDRW

* Unlimited means to limits in the IZON Enterprise NVR Software itself. Hardware limitations may apply.

IZON TECHNOLOGIES

NVR RM3200



- 3U Rackmount Chassis
- 16 Hot Swap Drive Bays
- Redundant PS
- PRO & ENT
- Up to Unlimited* Cameras
- Up to Unlimited* Remote Connections
- Supports over 230 IP Cameras
- Multiple Raid Options
- DVDRW
- JBOD & IP-SAN Ready
- Control Multiple IZON NVR'S Remotely
- Motion Detection, Regions of Interest

Model	Cameras	Remote Connections	Boot Drive	Raw Storage	OS	Optical Drive
NVRRM3200-4000-PRO	16	5	60 GB	4 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM3200-4000-ENT	UNLIMITED*	UNLIMITED*	60 GB	4 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM3200-8000-PRO	16	5	60 GB	8 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM3200-8000-ENT	UNLIMITED*	UNLIMITED*	60 GB	8 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM3200-12000-PRO	16	5	60 GB	12 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM3200-12000-ENT	UNLIMITED*	UNLIMITED*	60 GB	12 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM3200-16000-PRO	16	5	60 GB	16 TB	2003 SERVER STD 5U R2	DVDRW
NVRRM3200-16000-ENT	UNLIMITED*	UNLIMITED*	60 GB	16 TB	2003 SERVER STD 5U R2	DVDRW

* Unlimited means to limits in the IZON Enterprise NVR Software itself. Hardware limitations may apply.

JBOD-T5



- Tower Chassis
- 5 Hot Swap Drive Bays
- Up to 5 TB Raw Storage per unit

Model	Chassis	Drives	Raw Storage
JBOD-T5-1250	5 HS BAY TOWER	5	1.25 TB
JBOD-T5-2250	5 HS BAY TOWER	5	2.5 TB
JBOD-T5-3750	5 HS BAY TOWER	5	3.75 TB
JBOD-T5-5000	5 HS BAY TOWER	5	5 TB

JBOD-RM316



- 3U Rackmount Chassis
- 16 Hot Swap Drive Bays
- Redundant PS
- Up to 16 TB Raw Storage per unit
- Cascading ability

Model	Chassis	Drives	Raw Storage
JBOD-RM316-4000	16 HS BAY RACKMOUNT	16	4 TB
JBOD-RM316-8000	16 HS BAY RACKMOUNT	16	8 TB
JBOD-RM316-12000	16 HS BAY RACKMOUNT	16	12 TB
JBOD-RM316-16000	16 HS BAY RACKMOUNT	16	16 TB

IP-SAN-RM316



- 3U Rackmount Chassis
- 16 Hot Swap Drive Bays
- Redundant PS
- Multiple Raid Options
- Up to 16 TB Raw Storage per unit
- Drive Expansion by multiple JBOD'S
- Expandable beyond 64 TB

Model	Chassis	Drives	Raw Storage
IP-SAN-RM316-4000	16 HS BAY RACKMOUNT	16	4 TB
IP-SAN-RM316-8000	16 HS BAY RACKMOUNT	16	8 TB
IP-SAN-RM316-12000	16 HS BAY RACKMOUNT	16	12 TB
IP-SAN-RM316-16000	16 HS BAY RACKMOUNT	16	16 TB
IP-SAN-RM316-32000	2 - 16 HS BAY RACKMOUNT & JBOD	32	32 TB
IP-SAN-RM316-48000	3 - 16 HS BAY RACKMOUNT & JBOD'S	48	48 TB
IP-SAN-RM316-64000	4 - 16 HS BAY RACKMOUNT & JBOD'S	64	64 TB



- Monitors
- Ethernet Adapters
- Video Adapters
- Raid/JBOD Adapters
- Other items on request

Model	Description
1000PCINIC	PCI GBE ADAPTER
1000PCIXDUALNIC	DUAL PORT PCIX GBE ADAPTER
1000PCIEDUALNIC	DUAL PORT PCIE GBE ADAPTER
1000PCIXQUADNIC	QUAD PORT PCIX GBE ADAPTER
1000PCIEQUADNIC	QUAD PORT PCIE GBE ADAPTER
DVRPCIE16XVID	PCIE VIDEO ADAPTER FOR IZON DVR 4, 8 AND 16 CHANNEL
DVRPCIESAS3085RAID	DVR EXTERNAL PCIE JBOD/RAID ADAPTER 250T, RM400, RM450
NVRPCIESAS3085RAID	NVR EXTERNAL PCIE JBOD/RAID ADAPTER 250T, RM200
17LCD	17" LCD MONITOR
19LCD	19" LCD MONITOR
20LCD	20" LCD MONITOR



IZON
TECHNOLOGIES
Service Contracts

Service Contract SKU's	Description	Details
IZ3Y8X5OHSC	3 Year 8 x 5 Onsite Hardware Service Contracts	IZON'S 8 x 5 onsite hardware service contracts are from 9:00 am to 5:00 pm EST on Monday's through Friday's (Not including holidays). MSRP for the 3 year 8 x 5 service is \$995.00 per appliance. This service is for hardware replacement only within the continental US
IZ3Y24X7OHSC	3 Year 24 x 7 Onsite Hardware Service Contracts	IZON'S 24 x 7 onsite hardware service contracts are 24 hours a day 7 days a week. MSRP for the 3 year 24 x 7 service is \$1,495.00 per appliance. This service is for hardware replacement only within the continental US
IZ3YAPR	3 year Advanced Parts Replacement	IZON'S 3 year advanced parts replacement is also available for \$695.00 MSRP per appliance. This service is for hardware replacement only within the continental US
IR1YRSAPS	1 Year 8 x 5 Remote & Phone Service & Support	IZON'S ala-carte services includes 10 hours of 8 x 5 administration via remote control and basic phone support. This service is good for 1 year and is renewable. MSRP of this package is \$995.00 per appliance. This service is not onsite.
IR3YRSAPS	1 Year 24 x 7 Remote & Phone Service & Support	IZON'S ala-carte services includes 10 hours of 24 x 7 administration via remote control and basic phone support. This service is good for 1 year and is renewable. MSRP of this package is \$1,495.00 per appliance. This service is not onsite.